

# Cancer among American Indians and Alaska Natives in Washington, 2003-2007

Northwest Portland Area Indian Health Board Indian Leadership for Indian Health

# Leading cancer sites by sex

Leading Cancer Sites by Sex				
Prostate	22.3%	Breast 30.9%		
Lung & Bronchus	13.7%			
		Lung & Bronchus 12.1%		
Colorectal	12.1%			
		Colorectal 10.0%		
Blood Cancers	9.7%			
blood Calicers		Blood Cancers 6.4%		
Kidney & Renal Pelvi	s 5.6%	Enodmetrium 5.6%		
Bladder	5.4%	Melanoma 3.4%		
Oral Cavity & Pharyn	x 4.2%	Thyroid 3.1%		
Liver	4.1%	Kidney & Renal Pelvis 3.0%		
		Cervix 2.8%		
Stomach	3.1%	Pancreas 2.4% Oral Cavity & Pharynx 2.3%		
Pancreas Esophagus	2.9%	Ovary 2.1%		
All Other Cancers	14.9%	All Other Cancers 16.0%		
Male AI/AN	rate	Female AI/AN rate		
481.3 (444.3,		459.0 (428.0, 492.1)		

Leading cancer sites by age group and sex (percent of cases)						
Rank	20-39		40-64		65+	
	Male	Female	Male	Female	Male	Female
1	Blood cancers (17.7%)	Breast (23.6%)	Prostate (19.8%)	Breast (41.2%)	Prostate (28.9%)	Breast (20.4%)
2	Testis (13.7%)	Thyroid (14.6%)	Colorectal (13.0%)	Colorectal (9.1%)	Lung & bronchus (19.3%)	Lung & bronchus (19.6%)
3	Kidney; Melanoma (11.8% ea.)	Cervix (12.4%)	Blood cancers (11.3%)	Lung & bronchus (8.7%)	Colorectal (12.4%)	Colorectal (12.8%)


Note: younger age groups had too few cases to report

Incidence, selected cancer sites per 100,000 population, calculated using invasive cases only						
Cancer	n	Rate (95% CI)	NHW Rate (95% CI)			
All Sites	1757	467.8 (444.0, 492.8)	492.2 (489.5, 494.9)			
Prostate (male)	186	117.2 (99.1, 138.7)	158.1 (155.9, 160.4)			
Breast (female)	262	115.1 (100.7, 131.3)	132.1 (130.3, 134.0)			
Lung & Bronchus	238	73.9 (64.1, 84.9)	68.0 (67.0, 69.0)			
Colorectal	197	55.8 (47.6, 65.4)	43.7 (42.9, 44.5)			
Blood cancers	146	37.0 (30.6, 44.6)	44.9 (44.1, 45.7)			

## **Racial Misclassification**

Cancer estimates for AI/AN may be obscured when AI/AN are incorrectly classified as another race (usually White) in public data sources. Each year the NW Tribal Registry partners with the three northwest state cancer registries to correct AI/AN racial misclassification and improve cancer estimates for Northwest AI/AN. Please contact us if you are interested in additional cancer data for your community.

# Incidence and mortality 10 year trends, AI/AN and NHW



#### Cancer screening measures: Portland Area IHS (Idaho, Oregon, & Washington, 2010 reporting year) 56% of women ages 21-64 had a pap All IHS: 59% smear in the past 3 years 2010 Goal: 90% 38% of women ages 52-64 had a All IHS: 48% 2010 Goal: 70% mammogram in the past 2 years 38% of patients ages 51-80 had colorectal All IHS: 37% cancer screening in the past year 2010 Goal: **50%** All IHS: 25% **27%** of tobacco users received **tobacco** 2010 Goal: not cessation counseling in the past year determined

The Breast, Cervical, and Colon Health

The Breast, Cervical, and Cervical Health

The Breast, Cervica

Cancer mortality, selected sites  per 100,000 population						
Cancer	n	Rate (95% CI)	NHW Rate (95% CI)			
All Sites	691	204.3 (188.0, 221.9)	173.6 (172.0, 175.2)			
Lung & Bronchus	171	53.3 (45.1, 62.9)	51.8 (50.9, 52.7)			
Breast (female)	51	26.5 (19.3, 35.8)	20.0 (19.3, 20.7)			
Colorectal	72	21.6 (16.4, 28.0)	15.2 (14.8, 15.7)			
Prostate (male)	26	20.4 (12.7, 32.1)	18.8 (18.0, 19.7)			
Blood cancers	61	16.8 (12.4, 22.6)	18.2 (17.7, 18.7)			

## Resources

For more information about statistical terms and interpretation, see www.cancer.gov/statistics/glossary

For more information on stage at diagnosis definitions, see www.cancer.gov/cancertopics/factsheet/detection/staging


Washington State Cancer Registry:

https://fortress.wa.gov/doh/wscr/

Washington Breast, Cervical, and Colon Health Program: http://www.doh.wa.gov/cfh/bcchp/default.htm

Screening information from Indian Health Service

## Stage at diagnosis, screen-detectable cancers



*Note: In situ* and localized may be referred to as 'early stage'; regional and distant are often considered 'late stage'

### **Data Notes**

- Unless specified as non-Hispanic White (NHW), all data are for American Indian or Alaska Native (Al/AN alone or in combination with another race) residents of Washington, diagnosed from 2003-2007
- Unless specified, counts (n) and proportions (%) include all reportable cancer sites and stages
- Rates are interpreted as the number of cases (or deaths) that would occur in a population of 100,000 people over one year. All rates are age-adjusted to the 2000 US standard population.
- Incidence rates include invasive cancers plus in situ urinary bladder.
- Mortality rates are incidence-based and include a death from any type of cancer. These are based on cancers diagnosed from 1992-2007, and do not represent complete mortality.
- Blood cancers include leukemia, Hodgkin lymphoma, non-Hodgkin lymphoma, and multiple myeloma
- Data are from the Washington State Cancer Registry; compiled by Northwest Tribal Registry Project and Northwest Tribal Cancer Control Project, NPAIHB



## For more information

Megan Hoopes, MPH Northwest Tribal Registry Project Director 503-416-3261 or mhoopes@npaihb.org

